#### AFRL-VA-WP-TP-2003-327

#### VALIDATION AND VERIFICATION OF INTELLIGENT AND ADAPTIVE CONTROL SYSTEMS (VVIACS)



**James Buffington** 

**SEPTEMBER 2003** 

Approved for public release; distribution is unlimited.

© 2003 Lockheed Martin Corporation

This work is copyrighted. The United States has for itself and others acting on its behalf an unlimited, paid-up, nonexclusive, irrevocable worldwide license. Any other form of use is subject to copyright restrictions.

20031126 098

AIR VEHICLES DIRECTORATE
AIR FORCE RESEARCH LABORATORY
AIR FORCE MATERIEL COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OH 45433-7542

#### REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average I hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

| 1. REPORT DAT              | ΓΕ (DD-MM-YY)  | 2.                | REPORT TYPE         |                  | 3.         | DATES COVERED (From - To)   |
|----------------------------|----------------|-------------------|---------------------|------------------|------------|---|
| September                  | r 2003         |                   | Conference Pre      | sentation Prepri | int        |   |
| 4. TITLE AND S             |                | ,                 |                     |                  |            | 5a. CONTRACT NUMBER   |
|                            |                |                   | N OF INTELLIG       | ENT AND AD       | APTIVE     | F33615-02-C-3206  |
| CONTRO                     | OL SYSTEMS     | S (VVIACS)        |                     |                  |            | 5b. GRANT NUMBER  |
|                            |                |                   |                     |                  |            | 5c. PROGRAM ELEMENT NUMBER 62201F   |
| 6. AUTHOR(S)  James Bu     | ıffington      |                   |                     |                  |            | 5d. PROJECT NUMBER 2403   |
|                            |                |                   |                     |                  |            | 5e. TASK NUMBER<br>06   |
|                            |                |                   |                     |                  |            | 5f. WORK UNIT NUMBER 6A   |
| 7. PERFORMIN               | G ORGANIZATI   | ON NAME(S) AND    | ADDRESS(ES)         |                  |            | 8. PERFORMING ORGANIZATION  |
| Lockhee                    | d Martin Aero  | nautics Compa     | nv                  |                  |            | REPORT NUMBER   |
| P.O. Box                   |                | maures compa      | ,                   |                  |            |   |
| Fort Wor                   | th, TX 76101   |                   |                     |                  |            |   |
| 9. SPONSORING              | G/MONITORING   | AGENCY NAME       | S) AND ADDRESS(E    | S)               |            | 10. SPONSORING/MONITORING   |
|                            | cles Directora |                   |                     |                  |            | AGENCY ACRONYM(S)   |
|                            | Research La    |                   |                     |                  |            | AFRL/VACC   |
|                            | Materiel Cor   |                   |                     |                  |            | 11. SPONSORING/MONITORING   |
| Wright-P                   | atterson Air F | orce Base, OH     | 45433-7542          |                  |            | AGENCY REPORT NUMBER(S) AFRL-VA-WP-TP-2003-327                                    |
| 12 DISTRIBUT               | TON/ANAH ARH   | LITY STATEMENT    |                     |                  |            | 741 KL-VA-W1-11-2003-327  |
|                            |                | e; distribution i |                     |                  |            |   |
| 13. SUPPLEME Slide show to |                | at AIAA Unm       | anned Unlimited     | Conference, Sar  | n Diego, ( | CA, 15-18 September 2003.   |
|                            |                |                   |                     |                  |            | has for itself and others acting on its<br>er form of use is subject to copyright |
| restrictions.              | mmted, pard-u  | p, nonexclusiv    | c, mevocable wo     | nawiae neense.   | Any our    | er form of use is subject to copyright  |
| 14. ABSTRACT               | (Maximum 200 W | 'ords)            |                     |                  |            |   |
|                            |                |                   |                     |                  |            |   |
|                            |                |                   |                     |                  |            |   |
|                            |                |                   |                     |                  |            |   |
|                            |                |                   |                     |                  |            |   |
|                            |                |                   |                     |                  |            |   |
|                            |                |                   |                     |                  |            |   |
| 15. SUBJECT T              | FRMS           |                   |                     |                  |            |   |
| 13. Gebaret 1              | EXCVIS         |                   |                     |                  |            |   |
| 16. SECURITY               | CLASSIFICATIO  | ON OF:            | 17. LIMITATION      | 18. NUMBER OF    |            | E OF RESPONSIBLE PERSON (Monitor)   |
| a. REPORT                  | b. ABSTRACT    | c. THIS PAGE      | OF ABSTRACT:<br>SAR | PAGES<br>26      |            | cent Crum<br>EPHONE NUMBER (Include Area Code)                                    |
| Unclassified               | Unclassified   | Unclassified      |                     | 2                |            | 7) 255-8428   |





### of Intelligent and Adaptive Control Validation and Verification (VVIACS) Systems

James Buffington September 17, 2003

Operations—Aerospace, Land, and Sea Conference and Workshop & Exhibit 2nd AIAA "Unmanned Unlimited" Systems, Technologies, and San Diego CA

Copyright @ 2003 by Lockheed Martin Corporation. All Rights Reserved.



### OUTLINE



- •INTRODUCTION
- · APPROACH
  - •STATUS
- •Q&A

TEAM

#### Participation Level Moderate SSCI (Autonomous Control) Prof. Krogh (V&V) Certification) LM (Filght T.g.

A02-04851038

§ Co Lo

Vince Crum – AFRL - Government PM

Jim Buffington – LM Aero - Contractor PM

Clinton Plaisted – LM M&FC

Prasanta Bose – LM M&S

Bruce Krogh – Carnegie Mellon University

Tim Johnson – General Electric Global Research

Ravi Prasanth – Scientific Systems Company, Inc

Peter Stanfill – LM Aero

Barry Frazier – LM M&FC Greg Tallant - LM Aero


Hunt Sutherland – General Electric Global Research



### SCOPE










### MOTIVATION







Costs of Design and Testing Dominate Current Flight-Safety-Critical Systems



A02-04851004 Typical Flight Critical System Development Cost Model



**Future Military Program Testing Hours Are** Forecast to Triple



Lockheed Martin Aeronautics Company



### **PURPOSE**





#### GOAL:

Enable affordable development of future safety-critical flight systems with prescribed levels of safety and reliability.

### OBJECTIVE:

Study, develop, and demonstrate effective V&V technologies for advanced safety-critical control system flight certification.

- · Classify emerging safety-critical control systems according to fundamental attributes
- Develop and demonstrate preliminary V&V strategies that focus on critical flight certification schedule and cost points
- Identify high-payoff V&V process, tool, and method technologies for further development


### APPROACH:

- Use Extensive Experience Base and Diverse Team to Develop Innovative Concepts
- Evaluate Concepts in Realistic Framework to Maximize Transition Success



#### **TASKS**





· Reporting and Documentation

Technology Development and Maturation Plan\*



## **ASSESSIMENT**






 Control System Characterization Emerging Control System Study

|                     |         |          |                 |                              | Funct                    | One      | 함      | Functional/Architectural Attributes | tribute                |        | (A)         | Section 1 | 1.150.3                                     |            |              |          |
|---------------------|---------|----------|-----------------|------------------------------|--------------------------|----------|--------|-------------------------------------|------------------------|--------|-------------|-----------|---|------------|--------------|----------|
|                     | Adepter | Learning | Declaion        | Predictive                   | Cooperative Optimization | Optimi   |        | Remoning                            | helengotal             |        | Distributed | 92        |   | 皇          | -            | TBO TBO  |
| RESTORE             | >       |          |                 |                              |                          | >        |        |                                     | W.                     | -      |             |           | +   |            | +            | +        |
| SCARE               |         | 11.      |                 | 10                           | >                        |          |        |                                     | 100                    | 1      |             | 100       | 1   |            |              | ,        |
| CARUS               |         |          | >               |                              | >                        |          |        | 1 1                                 |                        |        | >           | 1         |   |            |              |          |
| TAC                 |         |          |                 |                              | 3                        |          |        |                                     | 1                      | +      | T           |           | 1   |            |              |          |
| AGCAS               | L       |          |                 | >                            |                          |          |        |                                     | •                      | -      | T           |           | 1   | 1          | 1            |          |
| Auto ACAS           |         |          |                 |                              |                          |          | 1      |                                     |                        | +      |             |           | •   | . 1        |              |          |
| Inhelitrant Control | •       |          | 100             | A SON                        |                          |          | 100    |                                     |                        | -      |             | ¥         | 1   | <b>₹</b> B |              |          |
|                     | •       | T.       |                 |                              |                          |          |        | in.                                 | Fundamental Properties | a<br>a | perti       |           | 7   | 364        | 1000         | の 本の 特別  |
| WES                 | ,       |          |                 | 7                            | Mon-<br>Determinism St   | Non-     | 4      |                                     | Latte Complex Hybrid   | 8      | p.          | 8         | 100   | 18         | 180          | 08       |
| Sec                 | >       |          | Adentha         | <b>第</b>                     |                          | 1        | 10     |                                     |                        |        |             |           | e e   | \$ 1       |              |          |
| REACT               |         | -        | 0.00            | 3                            |                          |          | 1      |                                     |                        |        |             |           | · 建铁  | X-         |              |          |
| KTIP                |         | onn<br>L |                 |                              | S                        | S        |        |                                     | >                      |        |             | >         |   | 0          |              | \$       |
| TBD                 | >       | dπ       | ecision-Majding | <u>,</u>                     |                          | S        | *      |                                     | ۷                      |        |             |           |   |            | 7            |          |
| DBT                 |         | 12.2     | Prodethe        |                              | **                       |          |        |                                     |                        |        | S           |           |   | 1.44.20    |              | 1        |
| TBD                 |         | -        | Cooperative     |                              | >                        |          |        |                                     | >                      |        |             |           |   |            |              | <u>.</u> |
|                     |         | 3636     | Optimization    |                              |                          |          |        | Filon                               | Contiffic              | ation  | V&V         | G abou    | Flight Certification/V&V Needs Deficiencies |            | 1            |          |
|                     |         | . 22.    | Restorded       |                              |                          |          | Proces | -14                                 | 10.00                  | À      | apoli de    |           |   |            |              |          |
|                     |         | -        | ٠,              |                              |                          | 8 Y      | O      | 0                                   | Y 3                    |        | D 8         | D. E.     | A A   |            |              | 0 0      |
|                     |         | -        | Distributed     | d Carol                      | Kon-Determinism          | 7        | 7      |                                     |                        | 7      |             | <b>S</b>  | ****  | 105        | 7            | \$       |
|                     |         | lops     |                 | Non-Badonary                 | ì                        |          | S      | 3.7                                 | 7                      |        | 7           |           |   |            | Š            | >        |
|                     |         | -        |                 | Semetition                   | 120-<br>230-<br>252-     | 3        | S      |                                     |                        | >      |             |           |   |            |              | 3        |
|                     |         |          | 20.0            | Large/Complex<br>Stele Scene | 1                        |          |        |                                     | 1                      |        | 3           | 3         |   |            | 44.          |          |
|                     |         |          | 181             |                              |                          |          | ľ      | 6                                   | 123                    |        | N.          | -1        |   |            |              | 42       |
|                     |         |          | 1090            | Hybrid System                | V.                       | 7        |        | 7                                   |                        |        |             | A.        | 7   |            | 1876<br>1876 |          |
|                     |         |          | epun            | Ę                            | · /                      | 7        |        |                                     |                        |        | Y           |           |   |            | <b>S</b>     |          |
|                     |         |          | <u> </u>        | 8                            |                          | <b>7</b> | 1,77   |                                     | <b>&gt;</b>            |        |             |           |   |            |              |          |
| 0.002.000           |         |          |                 | 8                            | 1 X                      | 7        | 7      |                                     | 7                      |        | 7           |           |   |            | -            |          |


# V&V Needs Study





# **DEVELOPMENT - Processes**






Process Models



# **DEVELOPMENT - Methods**







# **EVALUATION - Proof of Concept**





Metric Definition
- Flight Safety
- S/W Dev Cost
- LCC
- Fit Cert Cost
- Fit Cert Effort
- Fit Cert Effort



|           |                         | MIDN  |             |           |           |           |          |          |           |            |                 |                |
|-----------|-------------------------|---|-------------|-----------|-----------|-----------|----------|----------|-----------|------------|-----------------|----------------|
|           |                         | Rank  | +           | +         | +         |           |          | 1        |           |            |                 | 9              |
|           |                         | Score   | 900         | 98.0      | 6         | 2         | Ž        |          | 1         | ě          | 8               | -              |
|           | R <sub>T</sub>          | Technical Risk                                  | 154) 0      | 0 1487    | 0.1667    | 0 778     | 100      | 200      | 0         | 8          | 04167           | 9.0            |
|           | 10 TK                   | свя   | E 0         | 800       | 711.0     | 1300      | 1000     | 1        | Ę         | 0.00       | 0.62            | 0.256          |
|           | Cost-Benefit<br>Metrics | jii en e G                                      | 877.8       | 8 943     | 8.36.3    |           | 27.0     | H        | 5         | 1          | 0               | 9.360          |
|           | SCO                     | 3200  | 0.00        | 9000      | 0.107     | 1900      | 23.00    | 0.00     | 101       | 75.00      | M.O             | 0.253          |
|           |                         | Product Size                                    | X           | W.        | C         | 8         | 6        | ×        | Y         | 10         | 37.5            | X              |
|           |                         | Touch Labor<br>Reduction                        | 9           | 9         | 100       | 8         | ×        | 100      | 100       | 8          | 8               |                |
|           | trics                   | Design Cycle Time                               | g           | 100       | 100       | 9         | 8        | 1        | 101       | 2          | 103             |                |
|           | e Me                    | Test Coverage                                   | P           | 3         | 100       | <u>8</u>  | R        | 901.     | 130       | 200        | 1               | 931-           |
|           | Performance Metrics     | Software Defect<br>Denaity                      | Ŋ           | 100       | 100       | 100       | ×        | 100      | <u>\$</u> | R          | 100             |                |
|           | Perfor                  | Resource Utilization                            | £03         | 100       | Œ         | 3         |          | 5        | 2         | \$         | 87.5            | E01            |
|           |                         | Filght Safety                                   | n           | 8         | A         | 100       | ×        | CCI      | ×         | 23         | 9739            | 100            |
|           |                         | (formibility                                    | 100         | ₽.        | 90        | \$        | 18       | R        | 100       | 100        | 100             | 100            |
|           | ithon<br>irics          | Mext-Generation<br>Systems                      | 22          | 22        | Ð         | ď         | o        | q        | 10        | 0          | 7.5             | 0              |
|           | Transition<br>Metrics   | Current Systems                                 | 200         | <b>1</b>  | DOL       | 100       | 0        | CON      | 5         | \$         |                 | 600            |
|           |                         | Onoiteofiline MOR<br>g (Mt) seco                |             |           |           | a         | 8        | 12       | ON.       | 7.96       | 28              | 37.5           |
|           | CDEV                    | Cost (#W) 60                                    |             |           |           | 9         | +        | -        | 120       | 63         | 磨               | 23             |
|           |                         | Current TRL                                     | •           | **        | 5         | 7         | •        | *        | 47        | 3          | 3.8             | n              |
|           |                         | V&V Category                                    | Proc, To of | Tool Meth | Marin     | T00       | Tool     | Proc     | Proc      | Proc.Math  | Proc, Took Meth | Proc.Teol.Meth |
| Assessmen |                         | Impositive<br>Fight<br>Cortification<br>Concept | Concept A   | Concept®  | Concept C | Concept D | Concept® | ConceptF | Conceptio | Conceptifi | Concept         | ConceptJ       |


Most Promising Concepts for Demonstration

A02-04851045



# EVALUATION - Safety of Flight Certification Model








# EVALUATION - Planning







# STATUS – Program Schedule




| 4QCY04                     |               |                     |             | plete                                   | ite                  | 4              |
|----------------------------|---------------|---------------------|-------------|---|----------------------|----------------|
| 3QCY04                     |               |                     |             | 0% complete                             | comple               |                |
| 2QCY04                     |               |                     | plete       | Task 4                                  | Task 5 – 0% complete | S <sub>2</sub> |
| 1QCY04                     |               |                     | 9% complete |   | Tas                  | Reviews / TIMs |
| 4QCY03                     |               | Ф                   | Task 3 – {  |   |                      | Revie          |
| 3QCY03                     |               | sk 2 – 85% complete | 7.          |   |                      | 7              |
| 2QCY03                     | plete         | - 85%               |             |   |                      | ◁              |
| ************************** | 100% complete | Task 2              |             | ••••••••••••••••••••••••••••••••••••••• |                      | ◁              |
| 4QCY02 1QCY03              | 1             | ••••••              | •••••       | •••••                                   | •••••                | •••••••••      |
| 3Q CY02                    | Task 1        |                     |             |   | ,                    | 4              |



# STATUS - Database Tool








# STATUS - Control System Database



# Task 1 Database



Other Factors: Application **Autonomy** Developer Maturity



# STATUS – Emerging Control Systems



### **ECS PROJECT**

AIMSAFE / RESTORE

ICARUS

LOCAAS

Enhanced GNC Algorithms

XACT

Software Enabled Control

**EDCS F-16 Autopilot** 

**Engine Control Cutoff Mode** 

Intelligent Engine Control

Intelligent Maintenance Advisor for Turbine Engines

Formation Flying Spacecraft

### DESCRIPTION

Integrated Management, Adaptive Control

Intelligent Autonomy

**Autonomous Control** 

Dynamic Programming Optimization

Adaptive Failure Management

Optimal Trajectory Generation

**Outer Loop Hybrid Control** 

Nonlinear Hybrid Control

Intelligent Failure Management

Model-based Health Management

Multi-vehicle Control



# STATUS - Summary





- Emerging Control System Study (Task 1)
- Completed study and organization of project data (48 projects)
- Completed project data collection and insertion into database tool
- Completed project data down-select to 10 Emerging Control Systems
- Developed preliminary project glossary
- Control Characterization and V&V Needs Study (Task 2)
  - Developed detailed task plan
- Review of LM Aero FC/VMS development processes and program plans
- Developed preliminary representative time-phased critical-path representation of development process
- Completed Control Characterization of control system projects with emphasis on Emerging Control Systems





# **Questions?**